


PRODUCT-DETAILS

6122/10-884-500

6122/10-884-500 BW standard



Informations générales

Extension du type de produit	6122/10-884-500
Code de produit	2CKA006132A0380
EAN	4011395211311
Description courte	6122/10-884-500 BW standard
Description longue	Movement detector with up to 4 channels. The bus can be connected via enclosed terminal block. With integrated KNX bus coupler.

Commande

EAN	4011395211311
Code douanier	85365080
Quantité minimum	1 pièce
E-Number (Sweden)	1739082

Dimensions

Poids net	0.08 kg
-----------	---------

Emballage

Emballage Niveau 1 Unités	carton 1 pièce
Emballage Niveau 1 EAN	4011395211311
Emballage Niveau 1 Longueur	78 mm
Emballage Niveau 1 Hauteur	58 mm
Emballage Niveau 1 Largeur	92 mm
Emballage Niveau 1 Poids	0.08 kg

Technique

Température de l'air ambiant	Operation -5 ... +45 °C
Compatible Bus Systems	KNX (TP)
Indice de protection	IP20
Type de montage	Flush Mounted

Certificats et Déclarations (Numéro de document)

Fiche produit, informations techniques	2CKA001373B8910
Déclaration de Conformité - CE	2CKA100000E1091
Instructions et manuels	No document needed
REACH Declaration	2CKA309999E9999
Informations RoHS	2CKA200000E4550

Environnement

Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Classifications

ETIM 7	EC000138 - Sensor element for movement sensor
ETIM 8	EC000138 - Sensor element for movement sensor
eClass	V11.0 : 27144008
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)

Catégories

Produits basse tension → Home and Building Automation → KNX → User Operation - Solo / alpha for Push Button Coupling Units → Motion Detectors

